IDI Product Catalog

Intuitive by design









COFF





Veteran Owned

Table of Contents

Imaging Tables and options	
Aspect ISR G3 Table	3-7
Aspect 100-4T G3 Table	8-12
Aspect 100-4 Table	13-15
Aspect 100RTL Table	16-19
Aspect 100RT Table	20-23
Aspect 100T Table	24-27
Aspect 100E Table	28-31
Aspect 100UCPlus Urology Table	32-36
Aspect 100US Gyn Table	37-38
Video Integration Systems and options	
MDS	39-42
ilex55	43-44
ilex 32 4K	45
ilex 32	46
ilex C	47
Connexus Direct	48
SIMEON O.R. Lighting Systems	
SIMEON Sim. LED 4500	49
SIMEON Highline & Businessline O.R. Lighting Systems	50
Comparison Matrices	
Aspect Four-Way Float Top Tables Specifications & Accessory Matrix	51
Aspect Urology & GYN Table Specifications & Accessory Matrix	52
Aspect Pain Management Table Specifications & Accessory Matrix	53
Customer Service	
IDI Customer Service Contacts	Back page

For product warranties, please request document D000-2069 from an IDI representative. Extended warranties are available.

Aspect ISR G3 Table



Aspect ISR G3 Table Description:

Mobile Imaging Table with Motorized Elevation, Trendelenburg Tilt, Iso Roll and Manual 4-way Tabletop Float. For Advanced Vascular Surgery and Interventional Procedures.

Aspect ISR G3 #A100-2603 (U.S. accessory rails) #A100-2834 (Metric accessory rails)

For Advanced Vascular Procedures; Includes short, recessed side rails 5" (127mm) in length at imaging end of table that facilitate use of removable headrest extension (option) and also facilitates attachment of catheter tray extension at narrow end of table. Two separate catheter tray extensions are available: One for the pedestal end of table and one for the imaging end of table. Up to 5 day battery backup pack, 600 lb. patient load, steer assist caster, 3.75" tongue height, 32" longitudinal tabletop float, and 33" to 45" tabletop elevation.

- A100-2170 Pendant hand control
- X100-2492: Tabletop 22"/559mm x 24"/610mm X 84"/2134mm
- X100-2310 Tabletop Pad, 2" (51mm) thick
- A270-0163: Panning hand control
- C000-0328: Patient restraint straps

Aspect ISR G3 Table preferred accessory packages

Aspect ISR G3 Practice Starter Kit (Peripherals - head/imaging end tray) # A100-2700 Optional package includes:

- 1. A100-2322 Catheter Tray Tabletop Extension Mounts to head/imaging end of table
- 2. A100-1007 Clamp-on 8-1/2" US Accessory Rail
- 3. A310-056 Armboard, quick release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)
- 5. C000-1181 Medical Grade Anti-Fatigue Mat 24" x 66" x 3/4" thick for maximum comfort & support
- 6. A610-051 Radiation Shield, Articulating, rail mounted
- 7. C000-1324 IV Pole, Accessory Rail Mounted, Stainless Steel, 4 bottle hooks
- 8. C000-1325 Rail clamp, Accessory, Aluminum, for IV Pole

Aspect ISR G3 Practice Starter Kit - Cardiology # A100-2975 Optional package includes:

- 1. A100-1769 Catheter Tray Tabletop Extension Mounts to Foot/pedestal end of table
- 2. A100-1007 Clamp-on 8-1/2 US Accessory Rail
- 3. A310-056 Armboard: quick-release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)
- 5. C000-1181 Medical Anti-Fatigue 24" X 66" X 3/4" thick for maximum comfort & support
- 6. A610-051 Radiation Shield, articulating, rail-mounted
- 7. C000-1324 IV Pole, Accessory Rail Mounted, Stainless Steel, 4 bottle hooks
- 8. C000-1325 Rail Clamp, Accessory Aluminum for IV Pole

Aspect ISR G3 Accessory Kit - Vascular # A100-2977 Optional package includes:

- 1. A100-2322 Catheter Tray Tabletop Extension Mounts to head/imaging end of table
- 2. A100-1007 Clamp-on 8-1/2" US accessory rail
- 3. A310-056 Arm board: quick-release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)

Aspect ISR G3 Accessory Kit - Cardiology # A100-2978 Optional package includes:

- 1. A100-1769 Catheter Tray Tabletop Extension Mounts to foot/pedestal end of table
- 2. A310-056 Armboard Rail Mount
- 3. A100-1007 Clamp-on 8-1/2" US Accessory Rail
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)

Aspect ISR G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad 2" thick foam pad. 19.5"/22"/24" wide x 84" long	X100-2310
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail	A100-1007
4	10mm x 25mm x 216mm clamp-on accessory rail.	A100-2379
- and -	Armboard Quick-release, rail mounted (requires Clamp-on	A310-056
0	Accessory Rail A100-1007 or A100-2379 above) unless used on a table with built-in accessory rails.	A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	VAB Carbon Arm Board w/ Pad Carbon fiber, one-piece, extra wide armboard for vascu- lar access and Fistula application procedures (body sec- tion slides under patient/table pad). Includes strap and pad.	A100-2244
	Replacement Pad for A100-2244 VAB Armboard	X100-2243
	Armboard Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
-	Headrest Extension Articulating carbon fiber headrest. Attaches to head end of ISR G3 table. Includes built in Anesthesia Screen Holder	A100-2317
	sockets. 23-1/2"/ 587mm wide x 12"/305mm long.	A100-2505
	Replacement Pad for A100-2317 or A100-2505 Headrest Extension	X100-2325
	Peripheral Extension Carbon Fiber 12"/30.5cm table extension for imaging end of table. Table top must have mini rails as shown.	A100-2486
	Replacement Pad for A100-2486 Peripheral Extension	X100-2503
	Tabletop Catheter Tray Extension24.25"/616mm wide, 30"/762mm long.pedestal end of table only.The maximum weight thisextension can support is 20 LBS or 9 Kgs.	A100-1769

Aspect ISR G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Tabletop Catheter Tray Extension20 ¾"/527mm x 27"/686mm long.Mounts to imaging end oftable only.Requires tabletop X100-2492. The maximum weightthis extension can support is 20 LBS or 9 Kgs.	A100-2322
NM	Radiation Shield5mm lead equivalence Articulating, rail-mounted. Attaches to table side-rail at base end of table, either side, adjustable. Articulating joint allows shield to conform to table contour. Snap-on patient side upper section is removable. 41- ³ / ₄ " wide x 32- ¹ / ₈ " high x 2- ⁵ / ₈ " deep.	A610-051 A610-106
	Anesthesia Screen Holder Flexible "hoop" style. Mounts directly to A100-2317 Headrest Ex- tension. For use on accessory rails - a pair of rotating side rail clamps, part number C000-0746, are required. Rotating side rail clamps and clamp-on accessory rails are not required if table is ordered with the A100-2317 Headrest Extension.	C000-0965
idi a la a	Pendant Hand Control For Aspect ISR. Controls elevate and tilt functions only (Included with table).	A100-2170
	Panning Hand Control For Aspect ISR G3. (Included with table).	A270-0163 A270-0178
++ ++ ·	ISR Table Foot Switch with Safety Hood. Foot control for Aspect ISR G3 table. Foot control motions are: iso-roll, transverse travel, elevate/lower and Trendelenburg down/up. (Safety hood helps avoid accidental motorized table movement from foot switch).	A100-2071
idi	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high- traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.	C000-1181
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065

Aspect ISR G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
and a loo	IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening	C000-1325

Shipping Crate Specifications

- Packaged weight (approx.): 890 lbs. (404kg)
- Length: 96" (2438mm).
- Width: 42" (1067mm).
- Height: 47" (1194mm).

Aspect 100-4T G3 Table



Aspect 100-4T G3 Table Description:

Mobile Imaging Table with Motorized Elevation, Trendelenburg Tilt and manual 4-way tabletop float.

Aspect 100-4T G3 # A100-2602 (U.S accessory rails) # A100-2831 (Metric accessory rails)

For Advanced Vascular Procedures; Includes short, recessed side rails 5" (127mm) in length at imaging end of table that facilitate use of removable headrest extension (option) and also facilitates attachment of catheter tray extension at narrow end of table. Two separate catheter tray extensions are available: One for the pedestal end of table and one for the imaging end of table. Up to 5 day battery backup pack, 600 lb. patient load, steer assist caster, 3.75" tongue height, 32" longitudinal tabletop float and 32" to 45" tabletop elevation.

- A100-2190 pendant hand control
- X100-2492: Tabletop 22"/559mm x 24"/610mm X 84"/2134mm
- X100-2310 Tabletop Pad, 2" (51mm) thick.
- A270-0173: Panning hand control
- C000-0328: Patient restraint straps

Aspect 100-4T G3 Table preferred accessory packages

Aspect 100-4T G3 Practice Starter Kit

(Peripherals - head/imaging end tray) # A100-2700 Optional package includes:

- 1. A100-2322 Catheter Tray Tabletop Extension Mounts to head/imaging end of table
- 2. A100-1007 Clamp-on 8-1/2" US Accessory Rail
- 3. A310-056 Armboard, quick release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)
- 5. C000-1181 Medical Grade Anti-Fatigue Mat 24" x 66" x 3/4" thick for maximum comfort & support
- 6. A610-051 Radiation Shield, Articulating, rail mounted
- 7. C000-1324 IV Pole, Accessory Rail Mounted, Stainless Steel, 4 bottle hooks
- 8. C000-1325 Rail clamp, Accessory, Aluminum, for IV Pole

Aspect 100-4T G3 Practice Starter Kit - Cardiology # A100-2975 Optional package includes:

- 1. A100-1769 Catheter Tray Tabletop Extension Mounts to Foot/pedestal end of table
- 2. A100-1007 Clamp-on 8-1/2 US Accessory Rail
- 3. A310-056 Armboard: quick-release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)
- 5. C000-1181 Medical Anti-Fatigue 24" X 66" X 3/4" thick for maximum comfort & support
- 6. A610-051 Radiation Shield, articulating, rail-mounted
- 7. C000-1324 IV Pole, Accessory Rail Mounted, Stainless Steel, 4 bottle hooks
- 8. C000-1325 Rail Clamp, Accessory Aluminum for IV Pole

Aspect 100-4T G3 Accessory Kit - Vascular # A100-2977 Optional package includes:

- 1. A100-2322 Catheter Tray Tabletop Extension Mounts to head/imaging end of table
- 2. A100-1007 Clamp-on 8-1/2" US accessory rail
- 3. A310-056 Arm board: quick-release, rail mounted, includes pad and strap
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)

Aspect 100-4T G3 Accessory Kit - Cardiology # A100-2978 Optional package includes:

- 1. A100-1769 Catheter Tray Tabletop Extension Mounts to foot/pedestal end of table
- 2. A310-056 Armboard Rail Mount
- 3. A100-1007 Clamp-on 8-1/2" US Accessory Rail
- 4. A100-2244 VAB Carbon Fiber Arm Board w/ pad (Fistula Applications)

Aspect 100-4T G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad 2" thick foam pad. 19.5"/22"/24" wide x 84" long	X100-2310
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail	A100-1007
	10mm x 25mm x 216mm clamp-on accessory rail.	A100-2379
La	Armboard Quick-release, rail mounted (requires Clamp-on	A310-056
0	Accessory Rail A100-1007 or A100-2379 above) unless used on a table with built-in accessory rails.	A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	VAB Carbon Armboard w/ Pad Carbon fiber, one-piece, extra wide armboard for vascu- lar access procedures (body section slides under pa- tient/table pad). Includes strap and pad.	A100-2244
	Replacement Pad for A100-2244 VAB Armboard	X100-2243
	Armboard Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
and the second s	Headrest Extension Articulating carbon fiber headrest. Attaches to head end of ISR G3 table. Includes built in Anesthesia Screen Holder	A100-2317
	sockets. $23-\frac{1}{2}$ / 587mm wide x 12"/305mm long.	A100-2505
	Replacement Pad for A100-2317 or A100-2505 Headrest Extension	X100-2325
	Peripheral Extension Carbon Fiber 12"/30.5cm table extension for imaging end of table. Table top must have mini rails as shown.	A100-2486
	Replacement Pad for A100-2486 Peripheral Extension	X100-2503
	Tabletop Catheter Tray Extension24.25"/616mm wide, 30"/762mm long.Mounts topedestal end of table only.The maximum weight thisextension can support is 20 LBS or 9 Kgs.	A100-1769

Aspect 100-4T G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Tabletop Catheter Tray Extension20 ¾"/527mm x 27"/686mm long.Mounts to imaging end oftable only.Requires tabletop X100-2492. The maximum weightthis extension can support is 20 LBS or 9 Kgs.	A100-2322
NIM	 Radiation Shield5mm lead equivalence Articulating, rail-mounted. Attaches to table side-rail at base end of table, either side, adjustable. Articulating joint allows shield to conform to table contour. Snap-on patient side upper section is removable. 41-%" wide x 32-%" high x 2-%" deep. 	A610-051 A610-106
	Anesthesia Screen Holder Flexible "hoop" style. Mounts directly to A100-2317 Headrest Ex- tension. For use on accessory rails - a pair of rotating side rail clamps, part number C000-0746, are required. Rotating side rail clamps and clamp-on accessory rails are not required if table is ordered with the A100-2317 Headrest Extension.	C000-0965
	Pendant Hand Control For Aspect 100-4T G3. Controls elevate and tilt functions only (Included with table).	A100-2190
	Panning Hand Control For Aspect 100-4T G3. (Included with table).	A270-0173 A270-0179
it it the	100-4T G3 Table Foot Switch with Safety Hood. Foot control for Aspect 100-4T G3 table. Foot control motions are: transverse travel, elevate/lower and Trendelenburg down/up. (Safety hood helps avoid accidental motorized table movement from foot switch).	A100-2360
<u>idi</u> .	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high- traffic areas. Safe & non-toxic, contains no plasticizers and will not leach over time. Durable brushed texture.	C000-1181
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065

Aspect 100-4T G3 Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening	C000-1325

Shipping Crate Specifications

- Packaged weight (approx.): 890 lbs. (404kg) ٠
- Length: 96" (2438mm). Width: 42" (1067mm). Height: 47" (1194mm). ٠
- ٠
- ٠



Aspect 100-4 Description:

The Aspect 100-4 is designed for C-arm imaging in endovascular or other interventional procedures where a 4-way floating tabletop is required in a non-tilting table.

- 4-Way Manual Floating Tabletop
- Motorized Elevation
- 450 lb. maximum patient weight
- 29.9" to 39.9" vertical travel
- 40" of longitudinal float
- 10" transverse float
- Panning control module
- 120VAC is standard.
- 230VAC is optional and must be specified at time of order.

Aspect 100-4 #A100-2737 (U.S Rails) A100-2632 (Metric Rails)

- X100-2599: Tabletop, 21" to 30" wide (533mm to 762mm) x 80" long (2032mm)
- X100-2650: Tabletop pad, 2" (51mm) thick, for 21" to 30" (533mm to 762mm) x 80" (2032mm) tabletop.
- A270-126 Panning hand control.
- C000-0328: Patient restraint straps.



Aspect 100-4 Table	Optional and Replacement Accessories:	
Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad 2" thick foam pad 21"/30" wide x 80" long	X100-2650
A A A A A A A A A A A A A A A A A A A	Tabletop Catheter Tray Extension Mounts to pedestal end only.	A100-814
6	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379 above) unless used on a table with built-in accessory rails.	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-2218 A100-2838
	Armboard Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
	VAB Carbon Armboard w/ Pad Carbon fiber, one-piece, extra wide armboard for vas- cular access procedures (body section slides under patient/table pad). Includes strap and pad.	A100-2244
	Replacement Pad for A100-2244 VAB Armboard	X100-2243
R	Tabletop Catheter Tray Extension Mounts to pedestal end only.	A100-814

Aspect 100-4 Table	Optional and Replacement Accessories:	
Photo	Description Red text = Metric accessory rails	Catalog Number
NI	Radiation Shield5mm lead equivalence Articulating, rail-mounted. Attaches to table side-rail at base end of table, either side, adjustable. Articulat- ing joint allows shield to conform to table contour. Snap-on patient side upper section is removable. 41-‰" wide x 32-‰" high x 2-‰" deep	A610-051 A610-106
.9	Panning Hand Control for Aspect 100-4 (Included with table)	A270-126 A270-183
idi. Ing tigan ter	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plas- ticizers and will not leach over time. Durable brushed texture.	C000-1181
and a loss	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening.	C000-1325

Aspect 100-4 Shipping Crate Specifications

- Weight (approx.): 635 lbs. (288kg) Length: 96" (2438mm) Width: 42" (1067mm) Height: 47" (1194mm) ٠
- •
- •
- •

Aspect 100-RTL Table



Aspect RTL Description:

C-Arm table for pain management and other imaging procedures where motorized elevation, tilt, lateral roll and longitudinal motion are required.

- Motorized elevation
- Trendelenburg tilt
- Lateral roll
- Longitudinal motion
- 120VAC is standard
- 230VAC is optional and must be specified at time of order

Aspect RTL #A100-1254 (120VAC) A100-2637 (230VAC)

Includes the following:

- X100-995: General Purpose rectangular tabletop 24" x 80" (610mm) x (2032mm).
- X100-1742: Tabletop pad, 2" (51mm) thick, for 24" (610mm) x 80" (2032mm) top
- K000-0197: Hand control
- C000-0328: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50

Aspect RTL #A100-2646 (120VAC) A100-2647 (230VAC)

- X100-733: Pain Management tabletop with facial cutout 22" (559mm) x 80" (2032mm).
- X100-1757: Tabletop pad, 2" (51mm) thick, for 22" (559mm) x 80" (2032mm) top with facial cutout
- K000-0197: Hand control
- C000-0328: Patient restraint straps
- C000-0597: Crescent shaped facial cushion
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50



Includes the following:

- X100-1325: G.I. rectangular tabletop 28" (711mm) x 80" (2032mm).
- X100-2083: Tabletop pad, 2" (51mm) thick, for 28" (711mm) x 80" (2032mm)
- K000-0197: Hand control
- C000-0328: Patient restraint straps
- C000-0597: Crescent shaped facial cushion

•C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50

Aspect 100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-1254 or A100-2637 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2646 or A100-2647 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2672 or A100-2673 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065
in the second se	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379.	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail	A100-1007
3	10mm x 25mm x 216mm clamp-on accessory rail.	A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
i di	Hand Control, 100RTL (must verify table serial # with IDI for compatibility). Motions controlled: Elevation, trendelenburg, roll, slide. (Included with table).	K000-0197

Aspect 100RTL Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Foot Control for 100RTL Foot Control unit controls all table motions.	A100-1961
	Scatter Guard radiation shield draping5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and headend of table. Supported by fabric section over tabletop. <i>Not for</i> <i>use with arm board A310-056.</i>	A610-108
	Radiation Shield5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32-1/8" high x 4" deep.	A610-080
	Scatter-Guard radiation shield draping5mm lead equivalence For for 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop Note: Not for use with arm board A310-056.	A610-096
	Scatter-Guard radiation shield draping5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop. Note: Not for use with arm board A310-056.	A610-092
	 Facial Cushion, crescent shape. Disposable covers for facial cushion, box of 50. 	Cushion: #C000-0597 Covers: #C000-0598

Aspect 100RTL Table Optional and Replacement Accessories:		
icii Bug Parasente Minimini	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasti- cizers and will not leach over time. Durable brushed tex- ture.	C000-1181
	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening Clamp-on Accessory Rail A100-1007 is required.	C000-1325

100RTL Shipping Crate Specifications

- Weight (approx.): 605 lbs. (274kg) Length: 96" (2438mm). Width: 42" (1067mm). Height: 47" (1194mm) •
- •
- •
- •

Aspect 100RT Mobile Imaging Table



Aspect 100RT Description:

C-arm table for pain management and other imaging procedures where motorized elevation, tilt and lateral roll are required.

- Motorized Elevation
- Trendelenburg tilt
- Lateral Roll
- 120VAC is standard
- 230VAC is optional and must be specified at time of order.

Aspect 100RT #A100-870 (120VAC) A100-2636 (230VAC)

Includes the following:

- X100-995: General Purpose rectangular tabletop 24" x 80" (610mm) x (2032mm).
- X100-1742: Tabletop pad, 2" (51mm) thick, for 24" (610mm) x 80" (2032mm) top
- K000-0195: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100RT #A100-2644 (120VAC) A100-2645 (230VAC)

- X100-733: Pain Management tabletop with facial cutout 22" (559mm) x 80" (2032mm).
- X100-1757: Tabletop pad, 2" (51mm) thick, for 22" (559mm) x 80" (2032mm) top with facial cutout.
- K000-0195: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100RT #A100-2660 (120VAC) #A100-2661(230VAC)

Includes the following:

- X100-1325: G.I. rectangular tabletop 28" (711mm) x 80" (2032mm).
- X100-2083: Tabletop pad, 2" (51mm) thick, for 28" (711mm) x 80" (2032mm).
- K000-0195: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-870 or A100-2636 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2644 or A100-2645 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2660 or A100-2661 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065
e e	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379.	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
	Hand Control, 100RT Must verify table serial # with IDI for compatibility. (Included with table).	K000-0195

Aspect 100RT Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Foot Control for 100RT (must verify table serial # with IDI for compatibility).	A100-1960
	Scatter Guard radiation shield draping5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and headend of table. Supported by fabric section over tabletop. <i>Not for</i> <i>use with arm board A310-056.</i>	A610-108
	Radiation Shield5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32-1/8" high x 4" deep.	A610-080
	Scatter-Guard radiation shield draping5mm lead equivalence For for 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop Note: Not for use with arm board A310-056.	A610-096
	Scatter-Guard radiation shield draping5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop. Note: Not for use with arm board A310-056.	A610-092
	 Facial Cushion, crescent shape. Disposable covers for facial cushion, box of 50. 	Cushion: #C000-0597 Covers: #C000-0598

Aspect 100RT Table Optional and Replacement Accessories:

ticli Burg Parameter	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasti- cizers and will not leach over time. Durable brushed tex- ture.	C000-1181
and a loo	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening Clamp-on Accessory Rail A100-1007 is required.	C000-1325

100RT Shipping Crate Specifications

- Weight (approx.): 571 lbs. (259 kg.) Length: 96" (2438mm) ٠
- •
- Width: 42" (1067mm) •
- Height: 47" (1194mm •

Aspect 100T Mobile Imaging Table



Aspect 100T Description:

C-arm table for pain management and other procedures where motorized elevation and Trendelenburg tilt are required.

- Motorized Elevation
- Trendelenburg tilt
- 120VAC is standard
- 230VAC is optional and must be specified at time of order.

Aspect 100T #A100-658 (120VAC) A100-2638 (230VAC)

Includes the following:

- X100-995: General Purpose rectangular tabletop 24" x 80" (610mm) x (2032mm).
- X100-1742: Tabletop pad, 2" (51mm) thick, for 24" (610mm) x 80" (2032mm) top
- K000-0054: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100T #A100-2648 (120VAC) A100-2649 (230VAC)

- X100-733: Pain Management tabletop with facial cutout 22" (559mm) x 80" (2032mm).
- X100-1757: Tabletop pad, 2" (51mm) thick, for 22" (559mm) x 80" (2032mm) top with facial cutout.
- K000-0054: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Includes the following:

- X100-1325: G.I. rectangular tabletop 28" (711mm) x 80" (2032mm).
- X100-2083: Tabletop pad, 2" (51mm) thick, for 28" (711mm) x 80" (2032mm).
- K000-0054: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100T Table Optional and Replacement Accessories: Photo Description Red text = Metric accessory rails **Catalog Number Replacement Tabletop Pad** For A100-658 or A100-2638 tables. 2" thick foam pad X100-1742 24" wide x 80" long. **Replacement Tabletop Pad** For A100-2648 or A100-2649 tables. 2" thick foam pad. X100-1757 22" wide with a facial cutout x 80" long. **Replacement Tabletop Pad** For A100-2658 or A100-2659 tables. 2" thick foam pad X100-2083 28" wide x 80" long. Side-rail clamp Rotating, with socket for attachment of accessories C000-0746 with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on C000-1065 accessory rail. A310-056 Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379. A310-062 X100-1755 Replacement pad for A310-056 or A310-062 Armboard **Clamp-on Accessory Rail** A100-1007 Rail is $8 \frac{1}{2}$ " long x $\frac{3}{4}$ " thick x 1-1/8" high. **Clamp-on Accessory Rail** A100-2379 10mm x 25mm x 216mm clamp-on accessory rail. Arm Board Carbon fiber, shoulder mount (attaches by sliding thin A310-059 section under patient/table pad), flat. Includes pad and strap. **Replacement Pad for A310-059 Armboard** C000-0689 Hand Control for 100T table. Elevate and tilt functions. (Included with table). K000-0054

Aspect 100T Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Foot Control for 100T Substitute for hand control. Cannot use hand and foot control at the same time.	A100-500
	Scatter Guard radiation shield draping5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and headend of table. Supported by fabric section over tabletop. <i>Not for</i> <i>use with arm board A310-056.</i>	A610-108
	Radiation Shield5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32-1/8" high x 4" deep.	A610-080
	Scatter-Guard radiation shield draping5mm lead equivalence For for 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop Note: Not for use with arm board A310-056.	A610-096
	Scatter-Guard radiation shield draping5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop. Note: Not for use with arm board A310-056.	A610-092
	 Facial Cushion, crescent shape. Disposable covers for facial cushion, box of 50. 	Cushion: #C000-0597 Covers: #C000-0598

Aspect 100T Table Optional and Replacement Accessories:		
icii Bregi Paramete Minime	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasti- cizers and will not leach over time. Durable brushed tex- ture.	C000-1181
and a loo	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening Clamp-on Accessory Rail A100-1007 is required.	C000-1325

100T Shipping Crate Specifications

- Weight (approx): 540 lbs./254kg Length: 96" (2438mm) Width: 42" (1067mm). Height: 47" (1194mm) ٠
- ٠
- •
- •

Aspect 100E Mobile Imaging Table



Aspect 100E Description:

C-arm table for pain management and other procedures where motorized elevation is the only movement required.

- 120VAC is standard.
- 230VAC is optional and must be specified at time of order.

Aspect 100E #A100-402 (120VAC) A100-2635 (230VAC)

Includes the following:

- X100-995: General Purpose rectangular tabletop 24" x 80" (610mm) x (2032mm).
- X100-1742: Tabletop pad, 2" (51mm) thick, for 24" (610mm) x 80" (2032mm) top
- K000-0041: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100E #A100-2642 (120VAC) A100-2643 (230VAC)

- X100-733: Pain Management tabletop with facial cutout 22" (559mm) x 80" (2032mm).
- X100-1757: Tabletop pad, 2" (51mm) thick, for 22" (559mm) x 80" (2032mm) top with facial cutout.
- K000-0041 Pendant hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100E #A100-2656 (120VAC) A100-2657 (230VAC)

Includes the following:

- X100-1325: GI rectangular tabletop 28" (711mm) x 80" (2032mm).
- X100-2083: Tabletop pad, 2" (51mm) thick, for 28" (711mm) x 80" (2032mm).
- K000-0041: Hand control.
- C000-0328: Patient restraint straps.
- C000-0597: Crescent shaped facial cushion.
- C000-0598: Disposable covers for crescent-shaped facial cushion, box of 50.

Aspect 100E Table Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad For A100-402 or A100-2635 tables. 2" thick foam pad 24" wide x 80" long.	X100-1742
	Replacement Tabletop Pad For A100-2642 or A100-2643 tables. 2" thick foam pad. 22" wide with a facial cutout x 80" long.	X100-1757
	Replacement Tabletop Pad For A100-2656 or A100-2657 tables. 2" thick foam pad 28" wide x 80" long.	X100-2083
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065
0	Armboard Quick-release, rail mounted (requires Clamp-on Accessory Rail A100-1007 or A100-2379.	A310-056 A310-062
	Replacement pad for A310-056 or A310-062 Armboard	X100-1755
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high. Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-1007 A100-2379
	Arm Board Carbon fiber, shoulder mount (attaches by sliding thin section under patient/table pad), flat. Includes pad and strap.	A310-059
	Replacement Pad for A310-059 Armboard	C000-0689
	Hand control for 100E. (Included with table).	K000-0041

Photo	Description Red text = Metric accessory rails	Catalog Number
	Foot Control 100E	A100-758
	Scatter Guard radiation shield draping5mm lead equivalence For 28" (711mm) wide optional tabletop X100-1325 Dimensions: 59" (1500mm) long, 24" (610mm) below tabletop. Draping extends along both sides and headend of table. Supported by fabric section over tabletop. <i>Not for</i> <i>use with arm board A310-056.</i>	A610-108
	Radiation Shield5mm lead equivalence Fixed shield with integrated clamp system. For use with tables that do not have side rails. Clamps to table sides or at head-end of table. Snap-on upper section above level of tabletop is removable. Use with 100RTL, 100RT, 100T, 100E tables. 24" wide x 32-1/8" high x 4" deep.	A610-080
	Scatter-Guard radiation shield draping5mm lead equivalence For for 24" (610mm) rectangular tabletop X100-995. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop Note: Not for use with arm board A310-056.	A610-096
	Scatter-Guard radiation shield draping5mm lead equivalence for 22" (559mm) tabletop X100-733 models with 22" (559mm) tapered-end tabletop with facial cutout. Dimensions: 59" (1500mm) long. 24" (610mm) draping below tabletop. Draping extends along both side and head-end of table. Supported by fabric section over tabletop. Note: Not for use with arm board A310-056.	A610-092
	 Facial Cushion, crescent shape. Disposable covers for facial cushion, box of 50. 	Cushion: #C000-0597 Covers: #C000-0598

Aspect 100E Table Optional and Replacement Accessories:		
icii Bug Paraman Minima	Heavy Duty Medical Grade Anti-Fatigue Mat (24"(610mm) x 66"(1676mm) x ¾" (19mm) IDI heavy-duty anti-fatigue mat. One-piece construction for high-traffic areas. Safe & non-toxic, contains no plasti- cizers and will not leach over time. Durable brushed tex- ture.	C000-1181
and a log	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25 mm pole opening Clamp-on Accessory Rail A100-1007 is required.	C000-1325

100E Shipping Crate Specifications

- Weight (approx.): 495 lbs. (225kg)
- Length: 96" (2438mm)
- Width: 42" (1067mm).
- Height: 47" (1194mm).

Aspect 100-UCPLUS Urology/Multi-purpose Table



Shown with optional leg holders (#A100-2247).



Shown with tabletop extension (A100-1400)

Aspect 100UCPlus description:

Imaging table for urology and multi-purpose use. Urological accessories are easily removable so the table can be quickly configured for multi-purpose C-arm imaging or general patient positioning for non-urological procedures. A removable radiographic cassette tray provides KUB radiography compatibility with mobile x-ray machines, including both conventional film/grid systems and digital detectors.

- 120VAC is standard.
- 230VAC is optional and must be specified at time of order.

Aspect 100UCPlus #A100-1517 (120VAC) A100-2639 (230VAC)

- A100-1876 Stirrups Mounting Rail extension Kit
- X100-1818: tabletop pad, 28" (711mm) x 46 ½" (1181mm) x 2" (51mm) thick
- A100-1400 Tabletop extension, 24" (610mm)W x 34" (864mm) (Metric tables #A100-2675)
- X100- 1817: Tabletop extension pad, 24" (610mm) x 34" (864mm) x 2" (51mm) thick
- K000-0158: Pendant hand control
- A100-1540: Foot switch control
- U100-3025: Removable x-ray shield flap, for perineal end of table
- C000-0571: Patient restraint straps
- A310-056: Arm board, rail mounted, with pad and strap (A310-062 for metric rails)
- C000-0595: Urology drain bag support hoop
- C000-0593: Disposable drain bag & hose assembly, sterile, box of 20.
- C000-0492: Disposable covers for foot switch, box of 50
- C000-0645: Disposable tabletop pad protector (qty. of 1)
- C000-0612: 5 gallon collection bag (qty of 1)

Aspect 100UCPlus Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	 IDI ComfortFin 350 Lithotomy Leg holders (Stirrups pair only) ComfortFin Lithotomy Leg holders are designed to improve infection control with durable, easy to clean silicone straps. Includes integrated lateral fin to help protect the head of the fibula and the peroneal nerve. 4" more working space with an increased range of motion. Patient weight capacity:350 lbs (159 kg). 	C100-3042
	Replacement Boot with Straps for IDI C100-3042 ComfortFin 350 Lithotomy Leg Holders	C100-3080
	Kit: IDI ComfortFin350 Lithotomy Leg holders C100-3042 with C100-3046 economy side-rail clamps	A100-2246 A100-3074
	IDI ComfortFin 500 Lithotomy Leg holders (Stirrups pair only) ComfortFin Lithotomy Leg holders are designed to improve infection control with durable, easy to clean silicone straps. Includes integrated lateral fin to help protect the head of the fibula and the peroneal nerve. Boots are sized for today's heavier patients. 4" more working space with an increased range of motion. Pa- tient weight capacity: 500 lbs. (227kg).	C100-3045
	Replacement Boot with Straps for IDI C100-3045 ComfortFin 500 Lithotomy Leg Holders	C100-3079
	Kit : IDI ComfortFin 500 Lithotomy Leg holders C100-3045 with C100-3046 economy side-rail clamps.	A100-2247 A100-3075
	Side-rail clamp, removable. IDI 4100. Attaches and locks anywhere on the side rail for fast and easy mounting . A push button safely releases rail clamp—helps to prevent false rail engagement. Autoclavable.	C100-3043 C100-3076
<u>je</u> c	Economy side-rail clamp. Attaches anywhere on the table rail for fast and easy mounting. Rounded ergonomic shape is easy on the hands. Autoclavable.	C100-3046 C100-3077
	Lithotomy Leg Holder Cart Easy to push/pull with ergonomic handles. Stirrups are isolated to prevent damage. Clamp storage compartment. Designed to safely store ComfortFin stirrups when not in use.	C100-3044

Aspect 100UCPlus Optional and Replacement Accessories:

Description Red text = Metric accessory rails	Catalog Number
Replacement Tabletop Pad 2 inch thick foam pad. 28" wide x 46 1/2" long.	X100-1818
Replacement Extension Tabletop Pad 2 inch thick foam pad. 28" wide x 34" long.	X100-1817
Single Use Stirrup Boot Cover Waterproof single use stirrup boot covers help eliminate strike through and bacterial migration. Infectious patients (known or suspected). Patients with open sores, abrasion or lesions. Protect against cross contamination.	C100-3070
Physician Elbow Supports (pair) Removable	C000-0594
Armboard Quick-release, rail mounted (requires Clamp-on	A310-056
less used on a table with built-in accessory rails.	A310-062
Replacement pad for A310-056 or A310-062 Arm- board	X100-1755
Split Leg Holders For use with Aspect 100UC Plus Tables. Includes pads. Prone percutaneous, lateral or modified lateral	C000-1146
nephrostomy. Includes two split leg holder clamps # C000-1115 or C000-1217.	C000-1216
Right replacement pad for Spilt Leg Holder C000-1146 or A310-062	C000-1357
Left replacement pad for Spilt Leg Holder C000-1146 or A310-062	C000-1358
Replacement Split Leg Holder Clamp For use with split leg holders. # C000-1146 and	C000-1115
C000-1216	C000-1217
IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required.	C000-1324
	railsReplacement Tabletop Pad2 inch thick foam pad. 28" wide x 46 1/2" long.Replacement Extension Tabletop Pad2 inch thick foam pad. 28" wide x 34" long.Single Use Stirrup Boot CoverWaterproof single use stirrup boot covers helpeliminate strike through and bacterial migration.Infectious patients (known or suspected). Patientswith open sores, abrasion or lesions. Protect againstcross contamination.Physician Elbow Supports (pair)RemovableArmboardQuick-release, rail mounted (requires Clamp-onAccessory Rail A100-1007 or A100-2379 above) un-less used on a table with built-in accessory rails.Replacement pad for A310-056 or A310-062 Arm-boardSplit Leg HoldersFor use with Aspect 100UC Plus Tables. Includespads. Prone percutaneous, lateral or modified lateralnephrostomy. Includes two split leg holder clamps #C000-1115 or C000-1217.Right replacement pad for Spilt Leg Holder C000-1146or A310-062Left replacement pad for Spilt Leg Holder C000-1146or A310-062Replacement Split Leg Holder ClampFor use with split leg holders. # C000-1146 andC000-1216IV PoleStainless steel with four bottle hooksRange: 1070 -1660 mm

Photo	Description Red text = Metric accessory rails	Catalog Number
	IV Pole Clamp Aluminum. 25 mm pole opening	C000-1325
	Clamp-on Accessory Rail Rail is 8 ½" long x ¾" thick x 1-1/8" high.	A100-2218
3	Clamp-on Accessory Rail 10mm x 25mm x 216mm clamp-on accessory rail.	A100-2838
	Stirrups Mounting Rail extension Kit Included with table. For use with	A100-1876
	leg-holders (Leg-holders are sold separately).	A100-2676
I	Hand Control for 100UCPlus and 100UC. Controls height up/down, trendelenburg/reverse, slide, cross table movements. (Included with table).	K000-0158
++	Foot Switch Control for 100UCPlus. (Included with table).	A100-1540
9.0	Side-rail clamp Rotating, with socket for attachment of accessories	C000-0746
	with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-1065
	Removable radiographic cassette tray. Loads from either side of table.	A100-3139

Aspect 100UCPlus Consumables		
Photo	Description Red text = Metric accessory rails	Catalog Number
	Vinyl Urology Table Covers Box of 20	C000-0645
Allowed A	Uro Drain Bags with Hose Disposable drain bag and hose assembly. Box of 20	Sterile: # C000-0593 Non-sterile: #C000-1111
	Disposable Covers for Aspect 100UCPlus Foot Controls 24" x 20" Box of 50	C000-0492
IDI USA Product Catalog	L000-0012F	Page 35 of 54

Aspect 100UCPlus Consumables

Photo	Description Red text = Metric accessory rails	Catalog Number
	Uro Drain Support Hoop Collapsible & removable drain bag support hoop.	C000-0595
	3"/ 76mm Restraint Straps (Pair) Fabric with velcro fasteners for Aspect 100UCPlus table.	C000-0571
	Uro Collection Unit 5 gallon/18.9 liter capacity capaci- ty, Box of 10. Soft sided Vinyl container gently ex- pands into a cube as it collects waste fluid when floor drain or suction is unavailable. Internal baffle system enables container to fill evenly as powder converts liquid to gel. Built in zipper and handles allow for storage, closure of drain bag and hose assembly for enhanced infection control during transport and dis- posal.	C000-0612
	Uro Collection Unit 15 liter capacity, Box of 10. Flexible plastic sided container expands into a cube as it collects waste fluid when floor drain or suction is unavailable. Internal baffle system enables container to fill evenly as powder converts liquid to gel. Inte- grated valve system allows user to shut off the flow of liquid from the drain bag in order to change collection units	C000-1307

Aspect 100UCPlus Shipping Crate Specifications

- Weight (approx.): 815 lbs. (370kg)
- Length: 96" (2438mm)
- Width: 42" (1067mm)
- Height: 47" (1194mm)

Aspect 100-US Gyn/Fertility Clinic Table



Aspect 100US A100-1479 (120VAC) A100-2674 (230VAC)

GYN/Fertility Mobile Imaging Table. Table elevation: 26" - 38" (66 - 96.5cm) An economical C-arm table for hysterosalpingograms.

Includes the following:

- A100-758 Foot control
- X100-1687: tabletop pad, 24" x 46" (610mm x 1168mm) 1" (25.4mm) thick
- C000-0571: Patient restraint straps
- A100-2380: Leg support tabletop extension with pad
- A100-2248: Basic Knee Crutches [pair] with a pair of rotating side rail clamps [C000-0746]

Photo	Description Red text = Metric accessory rails	Catalog Number
	Replacement Tabletop Pad 2 inch thick foam pad. 24" wide x 46" long.	X100-1687
	Armboard Quick-release, rail mounted.	A310-056 A310-062
	Replacement pad for Armboard A310-056 or A310-062	X100-1755
	Hand control for 100US	K000-0041

Aspect 100US Optional and Replacement Accessories:

Photo	Description Red text = Metric accessory rails	Catalog Number
	Basic Knee Crutches For patients up to 400 lbs. Basic pair with pads. Includes two C000-0746 rotating side rail clamps.	A100-2248 A100-2677
	Foot Control 100US (Included with table.)	A100-758
	Side-rail clamp Rotating, with socket for attachment of accessories with 5/8 inch (15.88mm) circular post. Requires A100-1007 (or A100-2379 for metric rails) clamp-on accessory rail.	C000-0746 C000-1065
and a los	 IV Pole Stainless steel with four bottle hooks Range: 1070 -1660 mm Tube diameter: 25 / 18 mm IV Pole Clamp C000-1325 is required. 	C000-1324
	IV Pole Clamp Aluminum. 25mm pole opening.	C000-1325

Aspect 100US Shipping Crate Specifications

Weight (approx.): 245 kg / 540 lbs. Length: 244 cm / 96 in. Width: 107 cm. 42 in. Height: 119 cm / 47 in.

MDS Video Integration System



MDS Description # A280-0330 (120VAC) #A280-0335 (230 Volt)

MDS Mobile Display System, Complete with High Definition Video Monitors, Router and tablet controller.

- 120VAC is standard.
- 230VAC is optional and must be specified at time of order

Includes the following:

- Dual-Arm Mobile Display Stand with adjustable counterbalanced arms
- Adjustable shelves for placement of ancillary equipment (Qty. of 4)
- Bilateral input source cable manifold supporting DVI, SDI, VGA, S-Video, SOG and composite inputs
- Built-in isolation transformer and 8 outlet power strip for video and ancillary equipment AC power
- FSN 26" (660mm) HD LED Widescreen Multi-Modality Video Monitors (Qty of 2).
- FSN IPS1000 Video Router/Controller with 10.1" Tablet Controller and articulated support arm with lock
- Dual 8" (20cm) "Preview" LCD Reference Monitors, mounted to MDS stand center column
- Qty (1) External cable storage hook
- Qty (1) Kit Accessory Basket Kit
- Protective covers with storage for 26" (660mm) FSN monitors (Qty of 2)
- Video Cable kit, including common cables/connectors needed for connection of C-arm and equipment that will be mounted onto the MDS Mobile Display System. Customer choice of one of the following cable kits is included with the MDS System.

Customers must specify cable kit choice with order:

- A280-0325: Cable kit for GE OEC 9800/9900 C-Arms and camera cable kit for systems mounted onto the MDS
- A280-0328: Cable kit for all DVI output C-Arms and camera cable kit for systems mounted onto the MDS
- **A280-0326**: Cable kit for Siemens VGA C-Arm with camera cable kit for systems mounted onto the MDS
- A280-0425: Cable kit for Siemens Cios C-Arm with Video Manager and camera cable kit for systems mounted on the MDS

MDS Optional Cable Kits and Replacement Accessories:

Photo	Description	Catalog Number
	External Source Cable Kit Add this Kit if the customer plans to add any external device that is not mounted directly onto the MDS stand other than the C Arm (i.e. ultrasound, PACS, hemodynamics) Kit Includes: qty (1) each of 20 ft. (6.1m) S Video, (1) 23 ft. (7m) HDMI, 20 ft. (6.1m) SVG cable and qty. (2) short DVI to HDMI adapters.	A280-0437
	Endo Shelf Bilateral slide-out shelf, increases storage and shelf space For MDS or MDS D.	A280-0415
	CO₂ gas brackets Pair of holders for type E gas cylinders (for insufflator use) mounted to sides of MDS stand.	A280-0401
	Medical Rail Shelf Shelf Includes medical rails. For accessory attach- ments.	A280-0130
	Shelf with Keyboard Kit includes sliding keyboard carriage. Suitable for most standard customer-supplied keyboards. Will attach to existing shelves.	A280-0526
	Accessory Basket Kit For customer-supplied foot switch or other storage.	A282-0007
	Suction Canister Kit Includes: Suction canister rail clamps, bracket and 3000 ml canister.	A282-0009
	Cable Hook Cable storage J-hook for external cables.	A280-0570

MDS Optional and Replacement Accessories:

Photo	Description	Catalog Number
	IV Pole Kit Includes two IV rail clamps suitable for mounting a 4' 2-hook IV pole onto two medical rail equipped (A280- 0130) shelves. Note: this option requires two shelves with medical rails. This IV pole kit is for MDS systems only.	A280-0508
idi. idi.	MDS Monitor Protection Covers For 26" (660mm) flat panel monitor. (2 covers are in- cluded with MDS System A280-0330)	X280-0262
	Replacement IPS1000A Control OR Video processing system used in conjunction with MDS to scale, reformat and split video signals into both monitors.	C000-1041 GE OEC Siemens Arcadia C000-1140 GE Elite Siemens Cios Ziehm RFD Philips
	Replacement ITouch Screen Tablet with dock	C000-1043

MDS Installation Options


Description

Catalog Number

MDS Installation options System installation by IDI, including two-day operator in-service training, is available for the USA and Canada. Dealers who choose to have IDI perform the technical installation only will receive a discount provided they sup-ply two days of certified clinical training. Additional in-service training of more than two days is available on a billable basis only. Contact IDI regarding fees for additional training. Installation costs are not discountable and installation is only available in the USA and Canada. Installation outside of the USA and Canada is the responsibility of the dealer.

MDS Installation, technical integration and clinical training by IDI in the continental United States	Y-MDSINS-01
MDS installation and integration only by IDI technician in Continental United States OEM agrees to supply 2-day certified clinical applications training to customer.	Y-MDSINS-04
MDS Installation, integration and clinical training by IDI in Alaska or Hawaii 4-day installation, integration and clinical operation training by IDI.	Y-MDSINS-02
MDS Installation, integration and clinical training by IDI in Canada 4-day installation, integration and clinical operation training by IDI.	Y-MDSINS-03

ilex55 Video Integration System



ilex55 Description

The Ilex 55 mobile video platform features a 55"/139cm 4K UHD resolution monitor on a mobile platform. The system can display one 4K UHD or multiple HD resolution clinical images in a single, split screen, or quad screen mode.

ilex55

#A280-0600 (120VAC) #A280-0781 (230 Volt)

Includes the following:

- 55"/139cm 4K UHD medical monitor
- Three equipment shelves 19" (48cm) x 28" (71cm) and one platform 19" (48cm) x 20" (51cm)
- Two video cable storage hooks
- 5"/127mm casters with lock, free float and directional control
- Support column with powered 20" (508mm) vertical travel and 0°, 2.5° and 5° manual tilt
- Bluetooth speaker system with volume control
- Configurable video signal input panels with the following available inputs: 4x DVI-D, 2x DisplayPort, 2x VGA, 1x S-Video, 1x SDI & 2x SOG.
- Four USB ports
- Two 120v power ports
- Remote control capability for monitor PIP functions: single, side-by-side or quad modes
- Vertical transport handles
- Cable kit suitable for connecting one SOG Lex/Right C-Arm, one DVI Left/Right C-Arm, one VGA Ultrasound or hemodynamic monitor, and one DVI ultrasound or camera.
- Two boxes of sterile remote control drapes 15 per box

ilex55 Power Options

Option 1: North American Version, 15 amp.

For connection to 110-120 VAC, 60Hz, 15 amp outlet, 12 amp max load rating. Includes one built-in 800 VA isolation transformer and 20 ft., 20 amp power cord, 8 position power strip (12A max draw)

ilex55 Dimensions and weight

- •Base cover: 31in.(79cm) wide x 29in.(74cm) deep.
- •Maximum base footprint: 36in.(92cm) wide x 35in.(89cm) deep.
- •Monitor Handles are 55in.(140cm) wide.
- •Height with monitor retracted is 72in.(182cm)
- •Height with monitor extended is 92in.(234cm)
- •Weight: with monitor 460 lbs. (209 kg), without 360lbs (163 kg)

ilex55 Monitor

- Screen Size: 55" medical grade TFT AM LCD/IPS Technology/LED backlight
- Resolution: 4K UHD resolution 3840x2160 pixels 16:9 Aspect
- Brightness: Max: 500 cd/m² (typ)
- Response: Gray-to-gray = 8 msec (typ)
- Weight: 53 lbs. (24kg)
- Dimensions: 49.6" (126cm) W x 28.9" (73.4cm) H x 3.4" (8.7cm) D

ilex 55 optional and Replacement Accessories

	Protective Monitor and Cart Covers Padded cloth cover protects the monitor. Matching skirt covers the cart's shelves and main frame. Skirt comes with buckles and straps in the back.	C280-0805 Set C280-0817 Monitor cover C280-0866 Cart cover
L	23" Monitor with Magnetic Stand Additional 23" monitor for use with ilex55 mounted on a magnetic base and tillable for maximum visibility.	A280-0977

ilex55 Installation Options

Installation by IDI in continental US. Includes one-day operator training.	Y-ILEXINS01	
Installation by IDI in Alaska or Hawaii, including one-day operator training.	Y-ILEXINS02	

ilex32 4K video monitor and stand



ilex32 4K Description

The Ilex32 4K monitor and stand provides a cost effective solution for those customers requiring an additional UHD 4K monitor or monitors with mirrored images in multiple locations. Designed for use as a large table side monitor, the ilex 32 4K combines practical features with easy use.

ilex32 4K # A280-0821 120/230 VAC)

Includes the following:

- 31.5" UHD 4K display features signal input options for HDMI, DVI, DisplayPort plus DC out power for smaller components
- Single or split-screen images
- Heavy duty cart stand with tilt (Maximum height: 76"/193cm to top of monitor)
- Cable channel
- Accessory basket
- 15 foot power cord (For use outside the USA please specify plug type)
- Cable hook
- Qty. (1) C-Arm kit including a pair of input cables qty 2
- One year parts and labor warranty

ilex32 4K Installation options The customer typically performs installation. Installation is not available outside of the United States. For Dealers who choose to have IDI perform the installation:	
ilex32 4K Installation by IDI in the continental US Installation by IDI in continental US. Includes one-day operator training.	Y-ILEXINSO1
ilex32 4K Installation by IDI in Alaska or Hawaii Installation by IDI in Alaska or Hawaii, including one-day operator training.	Y-ILEXINSO2

ilex32 video monitor and stand



ilex32 Description

The Ilex32 monitor and stand provides a cost effective solution for those customers requiring an additional monitor or monitors with mirrored images in multiple locations.

- 120VAC is standard
- 230VAC is optional and must be specified at time of order

ilex32 # A280-0630 (120VAC) #A280-0743 (230 Volt)

Includes the following:

- 32"/81cm HD medical grade monitor with medical bios and input options for Dual SOG, Dual DVI, VGA, SDI, S Video
- Single or split-screen images
- Heavy duty cart stand with tilt (Maximum height: 76"/193cm to top of monitor)
- Cable channel
- Accessory basket
- 15 foot power cord
- Cable hook
- Qty. (1) C-Arm kit including a pair of input cables qty 2
- One year parts and labor warranty

ilex32 Installation options

The customer typically performs installation. Installation is not available outside of the United States. For Dealers who choose to have IDI perform the installation:

ilex32 Installation by IDI in the continental US Installation by IDI in continental US. Includes one-day operator training	Y-ILEXINSO1
ilex32 Installation by IDI in Alaska or Hawaii Installation by IDI in Alaska or Hawaii, including one-day operator training.	Y-ILEXINSO2

ilex C Utility Cart With Accessory Rail




ilex C Description # A280-0893

The IlexC is a utility cart for mounting motorized C-Arm control panels, patient monitoring and other accessory rail-mounted devices. Load capacity: 30 lbs. (13.6kg) Complete with adjustable U.S. and metric 12"(305MM) medical accessory rail and accessory basket.

- Two locking casters
- Utility basket with cable wraps
- 12" (305mm) adjustable medical accessory rail (U.S. ¾" x 1-¼" & metric 10mm x 25mm)
- Accessory rail is 42" (1067mm) from the floor
- Control handle
- Up to 30 lbs (13 kg) capacity
- Approximately 22" x 23" footprint

ilex C Dimensions

Note: Mounting rail is metric: 10mm x 25mm



Connexus Direct Connect video transmission




Connexus Direct Connect Description # A280-0916

Wall mounted signal conversion system for up to two channels of uncompressed, encrypted HD video.

Attach C-Arm control cart video cables to the Connexus Direct Connect via DVI-I connectors on the top of the unit to transmit left and right channel C-Arm signals to any location in a room; wall monitor, boom monitors or IDI's Ilex55, ilex32 4K or ilex 32 video integration systems.

Connexus Direct Connect Dimensions/Weight

Weight: 17 lbs (7.71kg)





Sim.LED 4500 Mobile Light Description #K400-0103

The **Sim.LED 4500** is the ideal light for outpatient and plastic surgery. This light provides ideal illumination, uniform light and very good depth illumination.

Sim.LED 4500 Mobile Light Technical Data

Central illumination intensity at a distance of 1 meter [lx]	100,000
Electrical dimmability from/to [lx]	25,000 – 100,000
Color temperature [K]	4,500
Field size d10 at a distance of 1 meter [mm]	170
Color rendering index Ra	96
Red rendering index R9	96
Illumination depth without refocusing (L1/L2) [mm]	1,530
Light head weight [kg]	3
Light head power consumption [W]	28
No. of LEDs	18
Approval	CE
LED lifespan [h]	> 60,000


Tolerance ±10%

Technical specifications are subject to change

More SIMEON Lighting Systems

IDI offers a wide variety of premium O.R. Light options from SIMEON Medical. <u>CLICK HERE</u> to see all of IDI's SIMEON lighting systems.

SIMEON Highline Lighting Systems Examples





•=Standard feature			
•=Standard feature 0=Optional NA=Not available	100 - 4	100 - 4T G3	ISR G3
Elevate (Height with 2″ pad)	29.9 - 39.7″ 76 - 101cm	32-45″ 81-114 cm	33-45″ 84-114 cm
Trendelenburg Tilt	NA	±12°	±12°
Lateral Tilt	NA	NA	±12°
Longitudinal Tabletop Motion	40" float 102 cm	32" float 81 cm	32″ float 81 cm
Transverse Tabletop Motion	10" float 25 cm	8" float 20 cm	8" float 20 cm
Standard Tabletop Size	21/30" x 80" 53/76 x 203 cm	24"/22"/19.5" x 84" 61/56/50 x 213cm	24"/22"/19.5" x 84 61/56/50 x 213cm
		68"/ 173cm	68"/ 173cm
Imaging Area	72" 183 cm	80" / 203cm with optional peripheral extension	80" / 203cm with optional peripheral extensic
Patient Capacity	450 lb./204 kg	600 lb./272 kg	600 lb./272 kg
Table Weight	490 lb. 222 kg	800 lb. 363 kg	800 lb. 363 kg
Tabletop Pad	•	•	•
Restraint Straps	•	•	•
Pendant Hand Control	NA	•	•
4-way Panning Hand Control	•	•	•
Foot Control	NA	٥	٥
Battery operation	Backup for elevation only	Up to 5 days Will vary based on case load and patient size	Up to 5 days Will vary based on c load and patient siz
Armboard, rail mounted	NA	٥	٥
Armboard, carbon fiber	٥	0	٥
VAB Armboard	٥	\$	٥
Clamp-on Accessory Rail	٥	\$	٥
Catheter Tray extension	٥	<u> </u>	٥
Perpheral Extension	NA	\$	\$
Headrest extension	NA	\$	\$
Table-Mounted Radiation Shield	\$	\$	\$
Anesthesia Screen Holder	NA	\$	\$

Aspect Urology & GYN Table Specifications & Accessories

●Standard feature ¢Optional NA Not available 100 UC-Plus	100 UC-Plus	100 US
Elevate (Height with pad)	33.3" – 43.1" (84.5 – 109.4 cm)	27" – 39" (68.5 – 99cm)
Trendelenburg Tilt	± 15°	NA
Transverse travel	± 3.5", 7" total (± 8.9 cm, 17.8 cm total)	NA
Longitudinal Tabletop Motion	10" (25.4 cm)	NA
Tabletop Size	28″W x 46″L (71 x 117 cm)	24"W x 46"L (61 x 117 cm)
Tabletop Extension Size	24″W x 34″L (61 x 86 cm)	NA
Imaging Area	Main tabletop: 25"W x 20"L (63.5 x 50.8 cm)	22"W x 32"L (56 x 81 cm)
Imaging Area with table extension	54" (137 cm)	NA
Patient Weight Capacity	Upper body on main table: 525lb. (238 kg) Upper body on extension: 400 lbs (181kg) Load capacity on extension only: 200 lbs (90.7kg)	450 lbs (204 kg)
Table Weight	490 lb. (222 kg)	375 lbs ((170kg)
Tabletop Pad (2" thick)	•	•
Tabletop extension with pad	•	Leg support tabletop extension
Hand control pendant & footswitch control		Footswitch only
Patient restraint straps	•	•
Removeable drain bag support hoop	•	NA
Disposable drain bag & hose assembly, box of 20		NA
Removable radiation shield flap for perineal end of table	•	NA
Armboard, rail-mounted with pad and strap	•	٥
Split Leg Stirrups	٥	NA
Disposable covers for footswitch, box of 50	•	٥
Radiographic cassette tray	٥	NA

Aspect Pain Management Table Specifications & Accessories

●Standard feature ØOptional NA Not available	100E	100T	100RT	100RTL
Elevate (Height with 2″ pad)	28 - 39.8" 71 - 101 cm	30 - 41.8" 76 - 106 cm	32.4 - 44.2" 82 - 112 cm	33.2 - 43.2″ 84.3 - 109.7 cm
Trendelenburg Tilt	NA	±15°	±15°	±15°
Lateral Tilt	NA	NA	20°	20°
Longitudinal Tabletop Motion	NA	NA	NA	10"
Standard Tabletop Size	24" x 80" 61 x 203 cm	24″ x 80″ 61 x 203 cm	24" x 80" 61 x 203 cm	24″ x 80″ 61 x 203 cm
Optional Tabletop Size	22″ x 80″ 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out	22" x 80" 56 x 203 cm with facial cut-out
Optional GI Tabletop Size	28″ x 80″ 71 x 203 cm	28″ x 80″ 71 x 203 cm	28″ x 80″ 71 x 203 cm	28" X 80" 71 x 203 cm
Imaging Area	66" 167.6 cm	62″ 157.5 cm	62" 157.5 cm	59" 149.9 cm
Patient Capacity	450 lb. 204 kg	450 lb. 204 kg	450 lb. 204 kg	450 lbs. 204 kg
Table Weight	290 lb. 131 kg	325 lb. 147 kg	380 lb. 172 kg	355 lbs. 161 kg
Tabletop Pad (2" thick)	•	•	•	•
Restraint Straps	•	•	•	•
Facial Support Cushion	•	•	•	•
Pendant Hand Control	•	•	•	•
Foot Control	٥	٥	٥	٥
Armboard, rail mounted	٥	٥	٥	٥
Armboard, carbon fiber	٥	٥	٥	٥
VAB Armboard	٥	٥	٥	٥
Clamp-on Accessory Rail	٥	٥	٥	٥
Scatter-Guard Radiation Shield	٥	٥	٥	٥

Image Diagnostics, Inc.

Since 1986, IDI has been a manufacturer of innovative products for surgical, interventional and diagnostic imaging.

Our product focus is in electro-mechanical solutions for fluoroscopic and digital radiographic applications.

IDI is committed to superior product design, value and customer support in everything we do.

Image Diagnostics, Inc. 310 Authority Drive Fitchburg, Massachusetts 01420

For customer service: sales@imagediagnostics.com

Toll free:	877.304.5434
Main:	978.829.0009
Fax:	978.829.0027

ImageDiagnostics.com





A Veteran-Owned Business